

STELLAR-REVO

ROTATING LED BEACON



MAIN FEATURE:

- As per CMVR
- NFPA 1901


FEATURES:

 High-power LEDs	 UV infused PC dome	 No moving parts	 Extreme weather cycles	 Impactful flash patterns	
 Thermal control	 Impact & vibration resistant	 Die-cast aluminium base	 IP 65	 Warranty 1 year	 Made in India

SPECIFICATIONS:

- Dimensions: 125 (H) x 165 (D) mm
- Voltage: 10 - 30V DC • Power Consumption: < 25W
- As per SAE • Reverse Polarity/Voltage protection
- 6 distinct Flash Pattern

COLOR:



MOUNTING:

- Permanent, Magnet & Pole

VEHICLE APPLICATIONS:





STELLAR-BLINK

PERIMETER LIGHTS

MAIN FEATURES:

- Inbuilt flasher
- Inbuilt scene-lighting
- NFPA 1901

FEATURES:



High-power
LEDs



UV infused
PC dome



No
moving parts



Extreme
weather cycles



Impactful
flash patterns



Thermal
control



Impact &
vibration resistant



Die-cast
aluminium base



IP 65



Warranty
1 year



Made in India

SPECIFICATIONS:

- Dimensions: 193(L) x 103(H) x 38(W) mm
- Voltage: 10 - 30V DC
- Power Consumption: <30W
- Mounting: Surface
- As per SAE
- Reverse Polarity/Voltage protection
- 6 distinct Flash Pattern

COLOR:



Red-White



Blue-White



Red-Blue



Amber



Red



Blue



White

VEHICLE APPLICATIONS:



Fire Fighting



Ambulance




Police



Material
Handling



(Primary Display)



(Cabin Display)

STELLAR-BLU

ELECTRONIC WATER/FOAM LEVEL INDICATOR

MAIN FEATURES:

- Dual Tank Display
- Prevents pump dry-run
- 180° view

FEATURES:



High-power LEDs



Extreme weather cycles



Impact & vibration resistant



Pressure Sensor technology



For all shapes & sizes of Tank



Low & High limit buzzer alert



Percent & Volume view



IP 65



Warranty 1 year



Made in India

SPECIFICATIONS:

- Dimensions: 115(L) x 170(H) x 55(W) mm
- Voltage: 10 - 30V DC
- Reverse Polarity/Voltage protection
- Optional Relay Output for Valve Control

COMPATIBILITY:



Water



Foam



Oil

VEHICLE APPLICATIONS:



Fire vehicles



Over Head Tanks



Industries



STELLAR-VIEW

ELECTRONIC WATER/FOAM LEVEL INDICATOR



MAIN FEATURES:

- 180° view
- Prevents pump dry-run
- Battery Voltage Display

FEATURES:

 High-power LEDs	 Extreme weather cycles	 Impact & vibration resistant	 Pressure Sensor technology	 For all shapes & sizes of Tank	
 Low & High limit buzzer alert	 Percent & Volume view	 Day/Night display Mode	 IP 65	 Warranty 1 year	 Made in India

SPECIFICATIONS:


- Dimensions: 95 (L) x 175 (H) x 60 (W) mm
- Voltage: 10 - 30V DC
- Reverse Polarity/Voltage Protection
- Optional Relay Output for Valve Control

COMPATIBILITY:



VEHICLE APPLICATIONS:





STELLAR-PRO

ELECTRONIC PUMP CONTROL

MAIN FEATURES:

- BS-IV and BS-VI compatible
- CANBUS Throttle Control
- One-touch RPM Idle

FEATURES:



Digital Pressure display



Pump/Engine RPM display



RPM Governor



Extreme weather cycles



Pump Service reminder



Metal Enclosure



Multiple language options



Impact & vibration resistant



IP 65



Warranty 1 year



Made in India

SPECIFICATIONS:

- Dimensions: 260(L) x 204(H) x 170(W) mm
- Voltage: 10 - 30V DC
- Reverse Polarity/Voltage protection
- 7" LCD with Touch screen interface
- Tank Level Indication
- Control for Lights & Valves
- Easy to fit on New/Existing vehicles

VEHICLE APPLICATIONS:



STELLAR-VBAR

MODERN LIGHTBAR



MAIN FEATURES:

- As per CMVR
- Unique 360 design
- NFPA 1901


FEATURES:

				
High-power LEDs	UV infused PC dome	No moving parts	Extreme weather cycles	Impactful flash patterns
				
Thermal control	Impact & vibration resistant	Die-cast aluminium base	IP 65	Warranty 1 year
				
				Made in India

SPECIFICATIONS:

- Dimensions (mm): 900(L) x 190(H) x 570(W) mm
- imensions (inch): 36 x 23 x 7.6 in
- Voltage: 10 - 30V DC
- Reverse Polarity/Voltage protection
- As per SAE
- 6 distinct Flash Pattern
- Remove Mounting details

COLOR:



VEHICLE APPLICATIONS:

